
4.630.7 1.6c no.1159 cop.5




UNIVERSITY OF
ILLINOIS LIBRARY
AT URBANA CHAMPAIGN
AGRICULTURE



The Illinois Beef Performance Testing Program A Management Tool That Can Help Improve Herd Productivity

G. E. Ricketts T. R. Carr



Cooperative Extension Service Character 1159 College of Agriculture University of Illinois at Urbana-Champana

The Illinois beef performance testing program, initiated in 1955, has been updated periodically to keep it a useful tool for cattlemen to use as part of their overall management program. The Illinois BPT program is conducted jointly by county extension advisers, area livestock advisers, and extension livestock specialists in the Department of Animal Science, University of Illinois at Urbana-Champaign. The Illinois Beef Improvement Federation serves in an advisory capacity and helps keep the program up-to-date.

Almost all of the purebred beef registry associations have a performance testing program. Breeders of purebred cattle are urged to participate in their association's program. Cooperative Extension Service personnel will be happy to help obtain records for such programs.

Facilities are available at Urbana to process all records from commercial as well as purebred herds. A modest fee is charged for this service. If the records are processed at Urbana, the herd owner will be furnished with an extra copy, upon request, that can be forwarded to the breed association office. Or, if preferred, all of the processing may be done at the breed association office. Where the records are processed will in no way affect the cooperation the herd owner will receive from Extension Service personnel.

CONTENTS

| urposes of the Illinois BPT Program | 3 |
|--|-----|
| ow the Performance Testing Program Operates | 3 |
| Veaning-Time Phase | 4 |
| ost-Weaning Phase | 6 |
| arcass Evaluation Phase | 6 |
| Vork Sheets and Record Forms Used in the BPT Program | 9 |
| ow Weights and Weight Ratios Are Calculated | 1 |
| ow To Make Good Use of Your Records | 2 1 |

Prepared by G. E. Ricketts, Professor, and T. R. Carr, Assistant Professor, Animal Science Extension. This publication replaces Circular 1081.

June, 1978

Herd improvement should be one of the major objectives of all commercial and purebred cattlemen. Such factors as increasing the weaning and yearling weights and improving the quality of the calves produced should be of major concern. A sound breeding, management, and selection program is needed for any improvement, and this is where accurate records come into play.

Properly kept production records can be very useful to:

- Measure herd productivity.
- Evaluate bull performance.
- Identify high-producing cows and cull low-producing cows.
- Indicate differences in the gaining ability of calves.
- Select herd replacements.
- Provide permanent, yearly records.
- Supplement what can be seen with the naked eye and retained in one's memory.

Combining production records, visual appraisal, and pedigree information will help give a fairly complete evaluation of an animal.

The major production factors emphasized in the performance testing program are medium to high in heritability. The heritability of a particular trait indicates how rapidly improvement can be made through selection for that trait. Heritability estimates of less than 20 percent are usually considered low; those from 20 to 40 percent are medium; and those above 40 percent are high.

Heritability Estimates (Percentages) for Beef Cattle

| Calving interval | 10 | Conformation (grade) | |
|------------------------------|----|---------------------------|----|
| Weaning weight | 30 | Weaning | 25 |
| Gain efficiency | 40 | Slaughter | 40 |
| Maternal ability | 40 | | |
| Feedlot gain | 45 | Carcass (characteristics) | |
| Birth weight | 40 | Carcass grade | 40 |
| Final feedlot weight | 60 | Fat thickness | 45 |
| Susceptibility to cancer eye | 30 | Rib-eye area | 70 |
| | | | |

PURPOSES OF THE ILLINOIS BPT PROGRAM

The primary purpose of this program is to provide information that will be valuable to cooperators in selecting and culling their eattle, and in improving the production of their cow herds. The program is not a game or a contest; very simply, it is a management tool for cattlemen. Major emphasis is given to:

- Beef cow performance, as evidenced by the weaning weight of calves and evaluation scores at weaning.
- Post-weaning performance of calves.

- Carcass quality at slaughter.
- Herd sire evaluation.

Because all of the characteristics measured in the performance testing program are of medium or high heritability, real progress can be made in improving these characteristics if a good selection program is followed.

HOW THE PERFORMANCE TESTING PROGRAM OPERATES

The responsibilities of the herd owner include the following:

1. Contact your extension adviser at least a month before you plan to wean your calves to set up a date for weighing and evaluating them. Also, contact him several weeks before your post-weaning tests will be completed. All of the needed record forms can be obtained free from the extension adviser's office.

Herd owners may weigh and evaluate their own cattle, but they must code in on the Calf Crop Record Work Sheet who did the weighing. Evaluation is an optional, not mandatory, part of the program. However, new participants in the program are encouraged to have extension personnel help get them started.

- 2. Be sure the calves are at least 160 days of age but not more than 250 days old when they are weighed for their weaning record. This is necessary for calculating the official 205-day adjusted weight.
- 3. Make sure each cow, herd sire, and ealf is identified by some positive means.
- 4. Keep an accurate calving record, including the calf's identification, birth date, dam, sire, and sex.
- 5. Weigh and evaluate all calves that are old enough, not just a few of the best ones.
- 6. Arrange for scales and facilities to weigh the cattle accurately.
- 7. Fill out the Calf Crop Record Work Sheet, the Post-Weaning Record Work Sheet, or both before the day the cattle are to be weighed. Complete all of the columns except those for the actual weight and evaluation scores. New cooperators who are filling out the Calf Crop Record Work Sheet for the first time should leave blank the space marked "Herd Code."
- 8. Be certain that the cattle are at least 330 days old and that they have been on test at least 140 days when the Post-Weaning Record Work Sheet is completed. This is required to calculate the official 365-day adjusted weight.
- 9. Pay the processing fee for each animal included on the Calf Crop Record Work Sheets and the Post-Weaning Record Work Sheets. Make checks payable to the University of Illinois.

The responsibilities of the county extension adviser are as follows:

- 1. Keep a complete file and a good supply of BPT materials in the office, including current copies of the following items:
 - Circular on the Illinois BPT Program.
 - Calf Crop Record Work Sheet.
 - Post-Weaning Record Work Sheet.
 - Weighing and Evaluation Work Sheet.
 - Outline of the Seven Body Types.
 - Breed Codes.
 - Carcass Quality Work Sheet.
 - Individual Cow Performance Record.
 - Sire Evaluation Record.
 - Bull Code Number Record.
 - Cow Code Number Record.
- 2. Explain the program to prospective cooperators in the county, and help cooperators evaluate their records.
- 3. Arrange with the cooperator for a date on which to weigh his calves or yearlings, or both, if he wants your assistance. Also make arrangements for an individual or individuals to evaluate the cattle if the cooperator so desires.
- 4. Check the completed Calf Crop Record Work Sheets and the Post-Weaning Record Work Sheets to be sure all of the information needed is shown, then send these work sheets to the Livestock Extension Specialists' Office 326 Mumford Hall, Urbana, IL 61801. Collect the processing fee and send it along with the completed work sheets. As noted before, all checks must be made payable to the University of Illinois.

The responsibilities of the area livestock adviser are to:

- 1. Conduct meetings and conferences to acquaint breeders with the Illinois BPT Program and to help cooperators evaluate their records.
- 2. Help weigh and evaluate cattle and help assemble records. The latter is particularly useful to those whose herds are just starting in the program.
- 3. Make summaries of records for your area when it seems useful to do so.
 - 4. Keep a good supply of all record forms on hand.

The responsibilities of the state livestock specialists include the following:

- 1. Conduct meetings and conferences to acquaint breeders with the Illinois BPT Program and to help cooperators evaluate their records.
- 2. Help weigh and evaluate cattle, when possible; also, help assemble records.

- 3. Furnish the record forms and other BPT materials.
- 4. Update the Illinois BPT Program whenever necessary and keep all cooperators and appropriate Extension Service personnel informed about changes in the program.
- 5. Supervise the record-processing at Urbana and see that the herd owner, county extension adviser, and area livestock adviser receive copies of the processed records.
- 6. Maintain a file containing a copy of the processed records of all of the cooperators in the Illinois Beef Performance Testing Program.
 - 7. Make summaries of data on a routine basis.
- 8. Send a quarterly information letter about the program to each of the cooperating herd owners and to all appropriate Extension Service personnel.

WEANING-TIME PHASE


This is the first part of the Illinois BPT Program.

- 1. The herd owner needs to fill out the Calf Crop Record Work Sheet before the day the calves are to be weighed and evaluated by extension personnel. A sample of this form is shown on page 13. All columns except those for the actual weight and evaluation scores are to be completed.
- 2. At weaning, each calf must be weighed separately and the weight recorded on the Weighing and Evaluation Work Sheet (see page 12) or the Calf Crop Record Work Sheet (see page 13). Calves should be weighed at about 7 months of age. Calves weighed for their weaning record when they are 160 to 250 days old are considered regular and will have 205-day weights and weight ratios calculated for them. The 160- to 250-day age span is recommended by the National Beef Improvement Federation.

Calves weighed when they are 120 to 159 days or 251 to 290 days old are considered irregular. They will have 205-day weights calculated but no weight ratios. For calves weighed at under 120 days or over 290 days old, the raw data will be printed out but no weight calculations will be made. The 205-day weights for irregular calves will be marked with an asterisk.

Sire summaries, sex summaries, and herd averages will include regular calves only.

3. If the calves are to be evaluated, it should be done when they are weighed or soon afterwards, if possible. An individual or a committee can do the evaluating. Evaluators can mark their scores on separate Weighing and Evaluation Work Sheets, or one person can accumulate the scores and write down the average (to the nearest whole number).



These outlines represent the seven frame scores being used in the Illinois Beef Performance Testing Program. They were developed at the University of Wisconsin to represent the range in body types of cattle involved in their body type research projects. In general, cattle of the English breeds will be covered by body types 1 through 5. The largest Charolais cattle or similar size cattle of other breeds will require the use of body types 6 and 7.

Frame score. The frame scores are made on a 1 through 7 scale (see figure). These scores apply across the cattle industry, not just within each breed. As a general rule, most animals of the English breeds will be in the 1 to 5 range. For Charolais, Simmentals, and other breeds of similar size, the scores will usually range from 3 to 7.

Remember that age must be taken into consideration in determining a frame score. Instead of just making an eyeball appraisal to determine a frame score, many producers are following the Missouri system and using a height measurement at the shoulder.

Muscle score. This evaluation also uses a 1 through 7 scale and is applied as shown on next page:

- 1 An exceptionally thin calf (a walking skeleton).
- 2 Very light muscled.
- 3 Light muscled.
- 4 Average muscling.
- 5 Heavy muscled.
- 6 Very heavy muscled.
- 7 Double muscled.

Conformation score. A conformation score has replaced the old feeder calf grade. However, the same numerical range, 1 through 17, is used and is based upon a total evaluation of the animal. The following descriptions of scoring are not lengthy and should be helpful to you in understanding the current conformation scoring system.

Score Description Superior. Growthy, well balanced, well mus-17 cled, and an adequate frame. These animals are 16 also structurally sound, have adequate bone, and 15 are very acceptable in breed and sex character. Good. Not strong in all characteristics like the 14 cattle in the superior group are. May be only 13 average or slightly below average in one or two 12 of the characteristics mentioned above. Fair. Below average for most of the characteristics listed for the superior cattle. Rather 11 plain, light-muscled cattle, may have moderate 10 to severe structural problems. Also includes 9 cattle that are extremely short and compact and that mature very early. 8 Inferior. Very plain, fine boned, and very 7 light muscled. This group may also include cattle 6 with severe structural problems. etc.

Consider 17-14 as sire prospects for both purebred and commercial herds. You may also occasionally want to consider a 13 that has superior performance and is structurally sound. Consider 17-13 as replacement heifers (occasionally a 12 that has superior performance and is structurally sound). However, be sure to exclude small-framed cattle even though they may have an acceptable conformation score.

- 4. Miscellaneous codes. See discussion on page 10.
- 5. If the calves are evaluated, average the scores to the nearest whole number and write the scores and weights on the Calf Crop Record Work Sheet. If all or some of the calves are not evaluated, put a 0 in the appropriate columns for the calves involved.
- 6. When the Calf Crop Record Work Sheets are completed, doublecheck them for errors or missing information, then mail them to Urbana with the processing fee.

POST-WEANING PHASE

During the second phase of the Illinois BPT Program, weaned calves should be group-fed for at least 140 days to test their ability to gain. They do not have to be full-fed, but all of the calves in a group should receive the same ration. Thus, a group of sale or replacement bulls would probably be fed a higher-energy ration than the one fed to a group of replacement heifers.

The test period starts on the date the weaning weights are obtained. The actual weaning weight is used as the initial weight on test. Using the weaning weight as the starting weight for this test period makes it possible to account for all periods in the animal's life up to the yearling weight.

Official 365-day adjusted weights or weight ratios are calculated only for animals that are at least 330 days old when weighed off test and that have been on test at least 140 days. This is done for both regular and irregular calves. However, information from the Post-Weaning Record Work Sheet along with the average daily gain on test or weight per day of age off test is listed on the Processed Post-Weaning Record for all animals that do not meet the previous requirements.

The herd owner should fill out the Post-Weaning Record Work Sheets before the day the cattle are to be weighed off test and evaluated. All columns are to be completed except those for the off-test weight and evaluation scores. (For information about Miscellaneous Codes, see page 10.)

At the end of the post-weaning feeding period, the cattle are to be weighed and evaluated. The evaluation, which is optional, may be done by an individual or a committee.

After the evaluation scores have been averaged to the nearest whole number, transfer this information to the Post-Weaning Record Work Sheets along with the offtest weights. Your extension adviser will forward these completed work sheets to Urbana, along with your processing fee. Checks must be made payable to the University of Illinois.

CARCASS EVALUATION PHASE

The ultimate goal of any Beef Performance Testing Program is the efficient production of lean, nutritious, highly palatable beef for the American consumer. Weaning weights, evaluation scores, and post-weaning performance may all be satisfactory, but if the carcasses of the cattle produced from your herd are wasty, light muscled, and low quality, you really haven't made much herd improvement. Carcass evaluation represents another important measure of herd performance as well as sire performance.

| FORM LS-106 (3-1-66) | BEEF CARC | ASS EVAL | UATION RE | PORT | | | OF AGRICULTURE RETING SERVICE DIVISION |
|--------------------------|--|----------------------|--------------------------|-----------------|-----------------|------------------|--|
| USDA NO. | OTHER IDENTIFICATION | NC | BREED (As supplie | ed by owner) | | MEAT GRA | DING CERTIFICATE NO |
| NAME OF PRODUCER | | | NAM | E OF PACKER | | | |
| 1 | | | | ARBLING, AND | | | |
| 01141177 60405 | CONFORMATIO | N DEGR | EE OF MARBLING | MATURITY (API | PROXIMATE AGE | SHOWN) (Cir | cle one) |
| QUALITY GRADE | | | | A | В | C | D E |
| BY THIRDS | | | | (Under 30 mos.) | (30 to 48 mos.) | (0, | er 48 mos.) |
| DI MINOS | | | B. OTHER FAC | TORS | | | |
| TEXTURE OF MARBLING (C | heck one) | | | | | | |
| | | FINE | MEDIUA | л <u></u> | DARSE | | |
| COLOR OF LEAN (Check | one) | | | | | | |
| VERY LIGHT CHERRY RED | CHERRY RED | SLIGHTLY DARK RED | MODER, | | ARK RED | VERY DARK RED | BLACK |
| FIRMNESS OF LEAN (Check | k one) | | | | | | |
| VERY FIRM | FIRM | MODERATELY FIRM | SLIGHTI SOFT | LY So | FI | VERY SOFT | SOFT |
| TEXTURE OF LEAN (Check | k one) | | | | | | |
| VERY FINE | FINE | MODERATELY | SLIGHTI | | GHTLY DARSE | COARSE | COARSE |
| 2 | | | YIE | LD FACTORS | | | |
| YIELD GRADE | CARCASS WEIGHT (From packer's hot wt. tag) | FAT THICK! | NESS (Inches, 10 in.) | RIB EYE ARE | A (from Grid) | HEART | (, PELVIC AND FAT (As per- carcass weight) |
| | | IN. | | | SQ. IN. | | PCT. |
| BY TENTHS | | ACTUAL | ADJUSTED | BY TENTI | 4S | | STIMATED |
| STRAIMEA and STRAIMEA | o Conton | (DATE) | | | (SIGNATUR | E OF GRADER | (1) |

We recommend using a progeny-testing program on the sire's first calf crop. The producer should select 8 to 12 cattle for slaughter. They should be typical of the calf crop—neither the best nor the worst. Steers should weigh at least 1,000 pounds and heifers 900 pounds. Slaughter weight will be influenced generally by breed and body type. In addition, the cattle should be fed long enough to grade choice, with yield grades of 2 or 3. No more than half of the test group should be heifers. If the necessary number of cattle are not available in your bull's first calf crop, slaughter others from his second crop.

USDA Beef Carcass Evaluation Service. The simplest way to obtain complete and accurate carcass data is to make use of the federal grading service. As a service to the livestock industry, the Meat Quality Division of the USDA's Food Safety and Quality Service has developed a program for certifying detailed carcass information from specific slaughter cattle. Many beef cattle producers, breed associations, agricultural experiment stations, and others interested in beef cattle improvement have asked for this type of service.

The USDA's new carcass evaluation service is based on positive identification of the live animal and of its carcass; therefore, this service is suitable for use in sire evaluation and in other performance testing programs. As part of the carcass evaluation service, USDA meat graders will provide any of the information called for on the Beef Carcass Evaluation Report (shown above). When less-detailed information is requested, a regular grading certificate may be used.

How to apply. When a producer wants to use this service, he arranges to have his cattle slaughtered in a federally inspected packing plant or in a state-in-spected plant that is approved to receive the federal meat-grading service. The producer obtains the packer's permission to have the carcass evaluated by a federal meat grader.

The producer and the packer decide which of them is to be billed for the cost of the evaluation service. Then, the producer requests the carcass evaluation service from the nearest field office of the USDA Meat Grading Branch (see page 8). When requesting the service, the producer tells the Meat Grading Branch office where the cattle are to be slaughtered, the factors he wishes to have certified, the number of animals involved, the date and the approximate time of slaughter, and who is to be billed for the service.

Identifying the cattle. The producer can identify his cattle by using metal or plastic eartags, ear tattoos,

back tags furnished by the Meat Grading Branch, or any similar identification system approved by the local meat grading supervisor. Positive identification of the carcass depends entirely upon properly identifying the animal before it is slaughtered. This requires close cooperation among the packer, the producer, and the grader concerning the date and time of slaughter. The producer must attach identification tags securely so they will not be lost while the cattle are being handled and shipped to the slaughtering plant. Back tags must be attached high on the right shoulder.

The Meat Grading Branch furnishes the producer with three copies of a form on which to list the identifying numbers for each animal. One copy is used as a check list at the time of slaughter, another copy is for the meat grader, and the remaining copy is returned to the producer with the official records.

Maintaining identity. In federally inspected packing plants, a federal meat inspector transfers the identity of the live animal to its carcass. In state-inspected plants, this may be done by a federal meat grader or by a meat inspector.

Evaluating and reporting. After the carcasses have been thoroughly chilled, the meat grader evaluates them for each of the factors requested by the producer, recording these data on the Beef Carcass Evaluation Report or on another form used by the Meat Grading Branch if the complete service is not requested. Copies are furnished to the person requesting the service.

Cost. Charges for the carcass evaluation service are made at the regular rate for grading meat, plus any expenses incurred for travel or for transferring the identification of the live animal to the carcass.

USDA Meat Grading Branch field offices. There is only one of these offices in Illinois. The address is Room 203, 4101 South Halsted Street, Chicago 60609 (telephone 312/353-5751). Two other field offices are located at 225 Livestock Exchange Building in Sioux

City, Iowa 51107 (telephone 712/862-3259), and 760 Livestock Exchange Building, Kansas City Stockyards, Kansas City, Missouri 64102 (telephone 816/758-5331).

Carcass Data Service. This program is a joint USDA and beef cattle industry effort to help cattle producers and feeders obtain carcass data, carcass quality, and carcass yield grade factors on important value-determining characteristics of the carcasses their cattle produce. This new service is easier to use and more readily available to a larger segment of the livestock and meat industry than the USDA's Beef Carcass Evaluation Service, which has been available to producers for several years.

Specially designed eartags are used for official identification in the program and can be purchased from one of several cooperating sources. For information on sources of eartags, write: Livestock Division, Agricultural Marketing Service, U.S. Department of Agriculture, Washington, D.C. 20250.

Producers and feeders can apply the bright orange, shield-shaped, serially numbered eartags to cattle on which they want carcass information. When eartagged cattle are slaughtered, a meat inspector will remove the tag from the ear, attach it to the carcass, and notify the USDA meat grader assigned to the plant. After the tagged carcasses have been sufficiently chilled, the meat grader will evaluate quality and yield grade factors and record the carcass data, the eartag serial number, and slaughter date on a special carcass data form (see below).

The completed data forms are forwarded to the Agricultural Marketing Services Carcass Data Center in Washington, D.C. The Carcass Data Center processes the data and mails the results to the cooperator who, in turn, sends them on to the eartag owner. The eartag owner is billed for each completed data form received. Each completed carcass data report costs \$1.50.

| FORM LS-10 (9-4-73) | 06-1 | | CAI | RCASS DAT | A SERVICE | (BEEF) | | | USDA - AMS Livestock Division |
|------------------------|---------------------|----------------------|---------------------|---------------------------------------|------------------------------|----------------|-----------------------------------|----------------|----------------------------------|
| CONFOR- MATION | MATURITY | MARBLING | QUALITY GRADE | PACKER'S WARM CARCASS WEIGHT | ADJUSTED FAT THICKNESS | RIBEYE AREA | KIDNEY, PELVIC, & HEART FAT | YIELD GRADE | EVALUATION DATE |
| (Thirds of a grade) | (Thirds of a group) | (Thirds of a degree) | (Thirds of a grade) | (Lbs.) | (Inches) | (Sq. Inches) | (Percent) | (Tenths) | |
| C+ | A | MT | С | 594 | .30 | 11.1 | 1.5 | 2.2 | 10/14/74 |
| NAME OF A | SSOCIATION | OR PRODUC | ER | | } | , <u>.</u> | Grader Code 07 | 600 00 | |

† Duplicate eartags for different carcasses denoted by an asterisk (*)

REMARKS:

Illini Beef Premiere Program. A third possible method of obtaining carcass information is through the Illini Beef Premiere Program. The program was developed for recognition of excellence in performance and carcass merit. A few of the Premiere Program requirements are as follows:

- 1. Steers must be weighed between January 1 and February 15 under the supervision of a county agriculture adviser or local agriculture occupations teacher.
- 2. Each steer must have an [] or [X] tattoo and an individual tattoo number.
- 3. One copy of weight certification must be sent to the county extension office or to the Vo-Ag office.
- 4. Each livestock producer may nominate a maximum of five steers if he plans to compete in the Open Beef Premiere Class at the Illinois State Fair. If he doesn't plan to compete, then he could weigh and tattoo the number suggested (8 through 12) for a successful progeny test.

Carcass information is obtained by University of Illinois Extension Meat Specialists with the assistance of the USDA Meat Grading Service.

WORK SHEETS AND RECORD FORMS USED IN THE BPT PROGRAM

These are shown on the following pages. All of them can be obtained from the county extension adviser or the area livestock adviser.

Calf Crop Record Work Sheet. Please follow these instructions carefully when filling out this form.

County. This must be written in.

Breed or breed crosses. Write name of breed or use breed code.

Herd code. Be sure to list all seven numbers. If the herd is a new one in the Illinois BPT Program, leave this space blank; a herd code number will be assigned by the extension livestock specialists in Urbana.

Month and year. The information called for at the top of the sheet refers to the month and year in which the calves were weighed. Do not spell out the month; list it numerically — for example, 10 instead of October. For the year, list only the last two digits — 77 for 1977.

Address. Give your complete address, including the ZIP code.

Calf, sire, and dam number. The maximum is five places. Within that maximum, any combination of numbers and letters can be used, or five numbers or five letters.

Sex code. The code is 1 for a bull, 2 for a heifer, and 3 for a steer.

Age of dam at calving. This entry should be made as follows:

Two-year-olds, from one year and nine months to two years and nine months.

Three-year-olds, from two years and nine months to three years and nine months.

Four-year-olds, from three years and nine months to four years and nine months, and so on.

Breed of sire and breed of dam. Four digits are allowed in each column. Animals that are seven-eighths or more of a particular breed should be listed as straightbred. The breed codes currently in use are listed below. Additional breed codes will be assigned as other new breeds are used by BPT cooperators.

Examples of how to use the breed codes are as follows. The breed code for Angus is A1; for Charolais, E1. If you have a crossbred cow whose sire was a Charolais and whose dam was an Angus, her breed code would be E1A1. (The sire breed should always be listed first.) If you have a crossbred cow that is three-fourths Charolais and one-fourth Angus, she should also be coded as E1A1. If the crossbred cow is one-half Charolais, one-fourth Angus, and one-fourth Simmental, her breed code would be E1XX. In this last case, the XX represents the two lowest percentages of breeds in a three-breed cross.

Breed Codes

| A1 | Angus | E1 | Charolais |
|----|-------------------|----|-----------------------|
| A2 | Hereford | E2 | Chianina |
| A3 | Polled Hereford | E3 | Romangnola |
| A4 | Shorthorn | E4 | Marchigiana |
| A5 | Polled Shorthorn | E5 | Blonde d'Acquitaine |
| А6 | Red Angus | E6 | Piedmont |
| A7 | Red Poll | | |
| В1 | Holstein | F1 | Devon |
| В2 | Brown Swiss | F2 | South Devon |
| B3 | Guernsey | F3 | Tarentaise |
| | Ayrshire | F4 | Pinzgauer |
| В5 | Jersey | F5 | Lincoln Red |
| В6 | Milking Shorthorn | F6 | Salers |
| B7 | Hays Converter | F7 | Luing |
| В8 | Beef Friesian | F8 | Norwegian Red |
| | | F9 | White Park |
| C1 | Brahman | H1 | Welsh Black |
| C2 | Brangus | H2 | Galloway |
| C3 | Beefmaster | H3 | Scottish Highland |
| | Santa Gertrudis | H4 | Beefalo |
| C5 | Barzona | | |
| D1 | Simmental | K1 | Murray Grey |
| D2 | Fleckvieh | К2 | Tasmanian Grey |
| D3 | Pie Rouge | | |
| D4 | Limousin | | |
| D5 | Maine Anjou | XX | Unknown, or the two |
| D6 | Gelbvieh | | lowest percentages of |
| D7 | MRI | | breeds in a three- |
| D8 | Normande | | breed cross animal |
| | | | |

Birth date. Show the month, day, and year. The entry for a calf born on March 10, 1977, would be "3-10-77."

Birth weight. If you have birth weights, list them; otherwise, put a 0 in this column.

Date weighed. Again, list the month, day, and year in digital form (same as for birth date). If all of the cattle were weighed on the same day, enter the date once. It is not necessary to repeat the date for each calf.

Actual weight. Give this figure as of the day indicated in the previous column.

Management code. The following management code is currently in use:

0 = No creep

1 through 7 = Months of creep feeding, grain feeding, or both, before weighing

F = Foster calf

N = On a nurse cow

T = Twin

K = Twin and on a nurse cow

For months of creep feeding, what is important is how long the calves have actually been eating feed, not just how long the creep feeder has been in the field.

The management code space allows for only one digit. So if you have, for example, a twin calf that has been on creep two months, use just T, not T2. Calves with a management code of F, N, T, or K will not have any weight ratios calculated, and none of their performance data will be included in sex summaries, sire summaries, or herd averages.

Weight by. This refers to who supervised the weighing of the calves. The codes are as follows: 1 = University, 2 = Owner, 3 = Other.

Evaluation scores. These scores should be averaged to the nearest whole number. If the calves were not evaluated, put a 0 in the appropriate column or columns.

Miscellaneous codes. Four columns are provided for you if you wish to record additional information that will be helpful to you in evaluating your animals. The information you list must be coded numerically, but you can develop your own coding system. The following are examples of some of the additional items you may want to keep track of:

Cow weight at weaning
Ease of calving
Vigor of calf at birth
Height at shoulders
Incidence of disease
Structural correctness
Horned, polled, or scurred
Temperament
Condition

Proportion of a breed (such as 12, 34, and 78 for $\frac{1}{2}$, $\frac{3}{4}$, and $\frac{7}{8}$)

Be sure to put a 0 in the miscellaneous columns you don't use.

Calf Crop Record (page 16). This is the processed record you receive, calculated from the information you have submitted on the Calf Crop Record Work Sheet. The calculations made include the following:

Age in days

205-day weight, adjusted for age of dam

205-day weight ratio within sex

205-day adjusted weight

205-day adjusted weight ratio

Sire summary within each sex group

Sex group summary

Overall sire summary

Overall herd average

Individual Cow Performance Record (page 18). This provides a lifetime performance record for each cow in the herd. The information on the Calf Crop Record is transferred by the herd owner to the Individual Cow Performance Record Sheet. After a herd has been on test for a few years, a study of these record sheets will show which cows are consistently among the top performers in the herd. Note: This form is available free at your county extension office.

Post-Weaning Record Work Sheet. Follow the guidelines for filling out the Calf Crop Record Work Sheet. Much of the information can be taken directly from the processed Calf Crop Record. Additional instructions for completing this form are as follows:

Date on test. This is the date the calves were weighed for their weaning record.

Weight on test. This is the weight that was taken for the weaning record on the date given.

205-day weight, adjusted for age of dam. This is taken from the processed Calf Crop Record. Do not confuse it with the 205-day adjusted weight.

Miscellaneous codes. Some of the items used in the miscellaneous columns on the Calf Crop Record Work Sheet (page 13) can also be used on this form. An additional item to consider is a measurement of testicle size of yearling bulls.

Post-Weaning Record (page 22). It shows the performance data on your cattle from weaning time until approximately one year of age. This record is very useful in selecting bulls and heifers for herd replacements and for sale. Remember that yearling weight and post-weaning average daily gain have a high heritability. The entries made on this record are calculated from the information you submit on the Post-Weaning Record Work Sheet. The calculations made include:

Age on test
Age off test
Days on test
Average daily gain on test
Weight per day of age off test
365-day adjusted weight
365-day adjusted weight ratio within sex
Sire summary within each sex group

Sire summary within each sex group Sex group summary

Sire Evaluation Record (page 23). If kept up-to-date, this form will show a lifetime record for each bull in the herd. That information will be useful in comparing the weaning and post-weaning records of the progeny from each bull in the herd. Note: This form is available free at your county extension office.

Carcass Quality Record (page 24). The herd owner can transfer the official carcass evaluation data to this form so that additional calculations can be made. The Carcass Quality Record is a valuable supplement to the Calf Crop Record and the Post-Weaning Record. Note: This form is available free at your county extension office.

HOW WEIGHTS AND WEIGHT RATIOS ARE CALCULATED

Calf Crop Record. The computer program for processing the weaning records adjusts the weaning weight for the age of the calf, the age of the dam, and the sex of the calf. The 205-day age basis and the adjustment factors used are those recommended by the National Beef Improvement Federation. These have been adopted by most states and breed associations.

Regular and irregular calves. Calves weighed for their weaning record when they are 160 to 250 days old are considered regular; they have 205-day weights and weight ratios calculated for them. Regular calves with a management code of F, N, T, or K, however, do not have weight ratios calculated.

Calves weighed when they are from 120 to 159 days old and from 251 to 290 days old are considered irregular and have 205-day weights calculated for them but no weight ratios. For calves under 120 days old or over 290 old when weighed, the raw data are printed out but no weight calculations are made.

None of the performance data for irregular calves or for regular calves with management codes of F, N, T, or K are included in sex group summaries, sire summaries, or herd averages.

205-day weight, adjusted for age of dam. Weights of all calves are corrected to a 205-day age basis by figuring an average daily gain from birth to the date weighed. To do this, an assumed birth weight of 70

pounds or the actual birth weight (if available) is used. All 205-day weights are then adjusted to a mature-cow basis as follows:

| Age of dam | Male calves | Female calves |
|---------------|----------------|------------------|
| (yr.) | (lb.) | (lb.) |
| 2 | +60 | +54 |
| 3 | +40 | +36 |
| 4 | +20 | +18 |
| 5 to 10 | + 0 | + 0 |
| 11+ | + 20 | +18 |

205-day weight ratio within sex. The weight ratio is a simple percentage. The 205-day weight (adjusted for age of dam only) for each regular-age calf is divided by the average of its own sex group and expressed as a percentage. This provides an automatic way to evaluate calves on a weight basis. For example, if a heifer calf in your herd has an 85 in this column, her 205-day weight, adjusted for age of dam, is 15 percent (100-85) below the average weight for all the heifers in the herd. Similarly, a heifer with a weight ratio of 115 would be 15 percent above the average.

205-day adjusted weight. To obtain this figure, the 205-day weight is adjusted for both sex of the calf and age of dam. The weights of all calves are adjusted to a steer basis by adding 5 percent to a heifer calf's weight and subtracting 5 percent from a bull calf's weight (205-day weight, adjusted for age of dam).

205-day adjusted weight ratio. This percentage is obtained by dividing the 205-day weight for each regularage calf by the average 205-day adjusted weight of all regularage calves in the herd (herd average). This allows comparison of all calves on an equal sex basis. Also, the herd owner can compare each cow's production with the herd average.

For example, an 80 in this column would mean that this calf's 205-day adjusted weight was 20 percent (100 - 80) below the average of all calves in the herd; moreover, the production of this calf's mother was also 20 percent below the herd average. Anything above 100 in this column indicates cows and their calves that are above the herd average.

To evaluate or compare individual cow productivity, use the 205-day adjusted weight and weight ratio. To compare an individual calf's performance within its own sex group, use the 205-day weight adjusted for age of dam and the 205-day weight ratio within sex.

To help you better evaluate the bulls in your herd, a sire average is calculated for each sex group, and an overall sire average is given just before the herd average. Separate sex averages are also given for all your bull calves, heifer calves, and steer calves.

WEIGHING AND EVALUATION WORK SHEET

| | _ | 0 | | Illinois | Beef Per | formand | ce Testing I | Progra | am | 0 | | | | |
|------------------------|-------------|------------|-----------------|----------------|----------------|-----------------------------|-------------------------------|-------------|------------------------|--------------|----|----------------|---------------------------|----------------|
| Owner | Jo | hr | , Do | e | | | County | | a | da | ~~ | 0 | | |
| Date | 0 | 10. | | 2 | | | County | | Jo | 9/ | Gr | ee | n | |
| | | | Frame sco | re |] [| | Muscling so | core | | | | | onformatio | n |
| Sex code | _ | 2 | (very short & | dumpy) | | 2 = very lig | onally thin cal ht muscled | f (walk | ing skel | leton) | | | score erior—17, 1 | |
| 1 = bull 2 = heifer | | 3 4 | | | | 3 = light mi 1 = average | | | | | | | d-14, 13 1 -11, 10, 9 | 12 |
| 3 = steer | | 5 6 | | | 1 1 | 5 = heavy n 5 = verv he | nuscled avy muscled | | | | | | rior–8, 7, 6 below | , |
| | الل | 7 = | (very large fra | med) | 1 1 | 7 = double | • | | | | L | | | |
| Calf. no. | Sex code | Wt. by2 | Weight | Frame score | Muscling score | Conf. score | Calf no. | Sex code | Wt. by ² | Weigh | | Frame score | Muscling score | Conf. score |
| 715 | 2 | 1 | 465 | 3 | 4 | 13 | 7/3 | 1 | 1 | 515 | 5 | 3 | 4 | 12 |
| 7/6 | 2 | | 420 | 3 | 3 | 12 | 74 | 2 | | 54 | 0 | 4 | 4 | 14 |
| 23 | 1 | | 610 | 4 | 5 | 15 | 710 | | | 58 | 0 | 4 | 5 | 15 |
| 75 | 1 | | 565 | 4 | 3_ | 12 | 79 | 2 | | 42 | 5 | 2 | 4 | 12 |
| 72 | 1 | | 5 35 | 3 | 4 | 13 | 76 | 1 | | 54 | 15 | 2 | 5 | 12 |
| 791 | 2 | | 470 | 3 | 3 | 11 | 78 | 2 | | 52 | 5 | 4 | 4 | 14 |
| 7/2 | 1 | | 480 | 3 | 5 | 14 | 711 | 2 | | 44 | 5 | 3 | 5 | 13 |
| 714 | 2 | 1 | 520 | 4 | 4 | 15 | | | ₩ | | | | | |
| | | | | | | | - | - | | | | | | |
| | | | | | | | | | | | | | | |
| | | - | | | | | | | | | | | | |
| | | | | | | - | | | | | | | | |
| | | | | | | | | - | | | | | | |
| | | | | | | | e weights a | | | | | | | |
| | | | | | | | | - | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | - | | | | | | |
| | | | | | | | | | | | | | | |
| | | - | | | | | | | | | | | | |

 $^{^{1}\}text{See}$ Guidelines For Conformation Scoring, on the reverse. $^{2}\text{Weighed}$ by (1) university, (2) owner, (3) other.

| | | - Conne | } | | | = | inois E | seet Pe | rtorn | Illinois Beef Performance Testing Program | Testin | g Prog | ram | | 8 | ed or b | Breed or breed crosses | sess | 7 | | | |
|--------------|------------|--------------|--|------------------|---------------|--------------|----------|-----------------------|------------------|---|--------|--------------|------------------|--------------|-----------------|------------------|------------------------|-------------------|------------------|---------------------|--------------------|----------------|
| | 100 | | 1000 | | | Mo | Month | | | 10 | | | | | Year | je. | | | 72 | | | |
| | 2 | <u>ء</u> کو | 300 | | | 0 | B B | /# | | 8-9 | | a | seri, | ille | , | 3 | S. | 9 | 10-11 | | 4999 | 6 4 3 |
| | - | Owner | | | | | Street o | Street or Rural Route | Route | | | | | City | , | | | St | State | | Zip Code | de |
| | Sex | Sire | Dam | Age | Breed | Breed | 8 | Birth date | | Birth | Date | Date weighed | | - | | | | | Conf. | Misce | noa | codes |
| no. 12-16 | code 17 | no. 18-22 | no. 23-27 | dam 28-29 | sire 30-33 | dam 34-37 | ₩ 38. | Day | 4 7 . | wt. 44-46 | Mo. | Day | 7r. | wt. c | code 1 | δγ 58 58 | 59 6 | score sc 60 61 | score 61-62 6 | A 63-66 6 | B C 67-68 69-70 | C D 9-70 71 |
| 73 | | 371 | 32 | 4 | A3 | 43 | n | _ | 23 | 82 | 9 | 61 | 226 | 019 | ω | - | 4 | 5 / | 7 | 0 | 0 | 0- |
| 74 | ~ | | 342 | \sim | | 42 | | 4 | | 011 | | | | 240 | 0 | | 7 | 7 | 2 | | | |
| 75 | _ | -> | 44 | m | | 43 | | 4 | | 8 | | | | 575 | M | | 7 | 3 / | 7 | | | |
| 26 | 1 | 240 | 3816 | M | | | | 0 | | 09 | | | 3 | 545 | | | 7) | 7 | 7 | | | |
| 11 | - | 371 | 232 | 7 | | > | | 01 | | 44 | | | -, | 535 | | | 3 | 7 | \sim | | | |
| 36 | ~ | 371 | 7/7 | = | | A2 | | = | | 83 | | | 3) | 525 | | | 4 | <i>'</i> | 74 | | | |
| 166 | ~ | 940 | 3290 | M | | A3 | | 13 | | 48 | | | 7 | 470 | | | \sim | ~ | _ | | | |
| 39 | 4 | 940 | 3048 | w | | A3 | | 14 | | 48 | | | 7 | 425 | 0 | | 4 | 7 | 7 | | | |
| 210 | 1 | 37/ | 335 | 7 | | AZ | | 77 | | 80 | | | 2) | 280 | M | | 4 5 | 10 | 5 | | | |
| 1116 | a | 940 | 3051 | \sim | | A3 | | 2 | | 88 | | | 7 | 344 | | | 3 | | 3 | | | |
| 213 | ~ | 37/ | 32 | 7 | -> | AZ | -> | 23 | -> | 8 | -> | | 7- | 780 | > | -> | 3 | ` | 7 | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | This form, when completed, | rm, w | hen co | mpleter | d, is s | sent to | the | the UI Livestock Extension | ivesto | ck E | xtens: | ion Sp | Specialists | sts at f Cron | Urbana- | na- מומי | | | | |
| | | | Champaign. It provides the information necessary to produce the processed Can Crop record. | 1811. | ryoid 11 | מבא חויכ | 101111 | Illatio | 1 1105 | Casaly | 5 5 | Janes | лис _Р | Incessi | 3 | <u>;</u> | 74 4 | ; | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |

Management Code: 0 = No creep feed; 1.7 = Months of creep feeding and/or grain feeding prior to weighing; F = Foster calf; N = Nurse cow; T = Twin; K = Twin and on a nurse cow.

Sex Code: (1) = bull, (2) = heifer, (3) = steer,
*Weighed by: (1) University, (2) Owner, (3) Other

BULL CODE NUMBER RECORD

Illinois Beef Performance Testing Program

| Code no. | Bull's name, tattoo, or registration number | Code no. | Bull's name, tattoo, or registration number |
|----------|--|------------------|--|
| 1 | | 28 | |
| 2 | | 29 | |
| 3 | | 30 | |
| 4 | | 31 | |
| 5 | | 32 | |
| 6 | | 33 | |
| 7 | | 34 | |
| 8 | | 35 | |
| 9 | | 36 | |
| 10 | | 37 | |
| 11 | | 38 | |
| 12 | | 39 | |
| 13 | | 40 | |
| 14 | | 41 | |
| 15 | | 42 | |
| 16 | | 43 | |
| 17 | | 44 | |
| 18 | | 45 | |
| 19 | | 46 | |
| 20 | | 47 | |
| 21 | | 48 | |
| 22 | | 49 | |
| 23 | Use this sheet if you identify your places. The number in the box is the | bulls by a nam | e or number larger than fivelist on the Calf Crop Record |
| 24 | Work Sheet in the sire column. Li your permanent herd records. Repo | st your bulls or | n this sheet and keep it with |
| 25 | your permanent neru records. Rept | 52 | the same number each year. |
| 26 | | 53 | |
| 27 | | 54 | |

COW CODE NUMBER RECORD

Illinois Beef Performance Testing Program

| Code no. | Cow's name, tattoo, or registration number | Code no. | Cow's name, tattoo, or registration number |
|----------|--|---------------------------------------|---|
| 1 | | 28 | |
| 2 | | 29 | |
| 3 | | 30 | |
| 4 | | 31 | |
| 5 | | 32 | |
| 6 | | 33 | |
| 7 | | 34 | |
| 8 | | 35 | |
| 9 | | 36 | |
| 10 | | 37 | |
| 11 | | 38 | |
| 12 | | 39 | |
| 13 | | 40 | |
| 14 | | 41 | |
| 15 | | 42 | |
| 16 | | 43 | |
| 17 | | 44 | |
| 18 | | 45 | |
| 19 | | 46 | |
| 20 | | 47 | |
| 21 | | 48 | |
| 22 | | 49 | |
| 23 | Use this sheet if you identify your | cows by a nam | ne or number larger than five |
| 24 | places. The number in the box is the Record Work Sheet. List all your co | number you put ws on this sheet | under "dam" in the Calf Crop and keep it with your perma- |
| 25 | nent herd records. Be sure each cov | w is reported by $ $ 52 $ $ | the same number each year. |
| 26 | | 53 | |
| 27 | | 54 | |

ILLINOIS B. P. T. PROGRAM - CALF CROP RECORD

| ſ | | 0 | | _ | _ | _ | | _ | _ | _ | 7 | | _ | _ | | | 1 - | | | | - | _ | | | | | 7 |
|--------|----------------|---------------------------------------|---------|---------------|----------|-------|-------|-------|-------|------|-----|------------|----------|----------|----------|----------|------|-------|-------|-----|------|------|-----|-----|------|--|--|
| ON. | \$ 50 | 0 | + | - | | | +- | |) C | | | | | - | † | 0 | * | | | | | | | | 0 | | E E R R R SITY |
| Adams | MISCELLANEOUS | 0 | 0 | 0 | 0 | 0 | C | | | - | | 0 0 | · C | 0 | 0 | 0 | - | - C | · · | | - C | | · C | - C | С | | SEX CODES 1 = BULL 2 = HEIFER 3 = STEER WEIGHED BY 1 = UNIVERSITY 3 = OTHER |
| A | MISCE | ٩ | 0 | | 0 | 0 | | | | | | | | | C | 0 | | | | | | | | | 0 | | 3 |
| | | | <u></u> | -0 | | | | | | | | _ | | | - | <u> </u> | 1 | _ | | | | | _ | | 8 | | AGEMENT CODES NO CREEP MONTHS OF CREEP FED MONTHS OF CREEP FED AND/OR GRAIN FEEDING PRIOR TO WEIGHING. FOSTER CALF NURSE COW TWIN TWIN TWIN COW. |
| | SCORE | | 16 | 16. | 7 | | ~ | | | | 1 | 15 | 12 | 13 | 13. | 13. | 7 | 1 2 |]] | 10 | 7 | | | | 11.8 | | TCODES POC CREEP FED GRAIN FEEDIN OWEIGHING. CALF OW |
| | M CS- | | 2 | 5.0 | | S | 5 | · | ٦ 4 | ۳, | 7 | · 10 | - | 7 | 4.1 | 4.3 | ď | ٠, در |) (| , , | ~ | 7 | . 7 | ~ | 3.5 | | EMENT CODE CREEP NTHS OF CRE D/ORG GRAIN OR TO WEIGH STER CALF STER CALF IN AND ON A |
| | SCORE | | 5 | 5.0 | | 2.0 | 4 | ~, | ٦ ، | ٦ ~ | ۳ ر | 7 | 4 | ~ | 3.4 | 3.4 | ~ | , ~ | , ~ | | . ~ | ~ | , | | 2.6 | | ANAGEMENT CODES NO CREEP MONTHS OF CREEP FED AND/OR GRAIN FEEDIN PRIOR TO WEIGHING. FOSTER CALF NUMSE COW = TVMIN = TWIN COW. |
| | M M M | | - | | ٦ | | - | - | - | - ۱ | 1- | - | - | 7 | | | - | - | - | - | - | _ | - | - | | | AN |
| 43 | CODE | <u> </u> | 7 | | <u>ش</u> | | 3 | ~ | ٠ ~ | ٠ ~ | 2 | ı ٣ | 3 | <u>ش</u> | | | ~ | 0 | ~ | 0 | 0 | 2 | C | · ~ | | | 1 . |
| 999 | COMPARISON MGT | ADJUSTED WEIGHT RATIO | 121 | | 0 | 104 | -4 | 0 | |) oc | | 109 | 106 | 66 | | 102 | 00 | 96 | | 000 | 80 | 100 | 6 | 101 | 93 | | T WO |
| 11 | COW COM | AOJ. WT. | 603 | 603 | 517 | | 5 | 9 | , C | - | 1 3 | ~ ₹ | 2 | 0 | | 510 | 497 | , ~ | . 4 | 4 | | 967 | 40 | 0 | 9 | | NORWEGIAN RED WELSH BLACK WELSHAN BLACK SCOTTISH HIGHLAND BEEFALO MURRAY GREY LOWEST W. BREED LOWEST W. BREEDS IN A 3 BREED CROSS ANIMAL |
| le, | _ | WT FATIO | | 118 | 101 | 101 | | | | 0 | | | 0 | 0 | 86 | 100 | 100 | 9.7 | 0 | 06 | 6.1 | ~~ | 76 | | 9.5 | ······································ | NORWEGIAN RED WELSH BLACK WELSH BLACK SCALLOWAY SECTTISH HIGHLA BEEFALO RUNRAAY GREY TASMANIAN GREY LOWEST % BREEEDS |
| Doevil | ¥ 0 4 | | ~ | | 4 | | 2 | | | | 0 | . 01 | 4 | ō, | | ~ | 6 | · · · | | 0 | | 7 | • | 0 | 7 | | 1 |
| Doe | CALF | FOR AGE | 63 | 63 | 5.4 | 54 | 58 | | 5.4 | | | | 55 | 51 | | 5.3 | 46 | | | 42 | | 47 | | | | * * | X X X X X X X X X X X X X X X X X X X |
| | TUAL | WEIGHT | 4 | 545 | 545 | 4 | œ | | | | 385 | _ | 9 | | \vdash | 119 | 4.5 | 2 | 00 | 7 | | 7 | 7 | 102 | | | ш Z |
| | | S | 7 | 84 | 24: 5 | 24. | 12 | | 6 | 6 | ∞ | 7 | | 23, 5 | 0 | 09 5 | 12 4 | 7 | | 6 | 06 3 | - | | 0 | 8 | | MARCHIGIANA BLONDE d'ACQUITAINE PIEDMONT DEVON SOUTH DEVON TARENTAISE PINZGAUER LINCOLN RED SALERS |
| | _ | Z > Z > | | _ | 7 2 | | | 7 | 7 | | - | 7 | 7 2 | | | 2 (| 7 2 | 7 | | | | | | 2 | | | SIANA d'ACG IT EVON AISE IER |
| | DATE WEIGHE | > | 4-6 | | 6-7 | | 1-6 | 1-6 | 6-7 | 6-7 | 9-7 | 9-7 | 6-7 | 6-7 | | | 6-7 | 6-7 | 1-6 | -1 | 1-9 | 2-9 | 6-7 | - 1 | I | | MARCHIGIANA BLONDE 4'ACQ PIEDMONT DEVON SOUTH DEVON TARENTAISE PINZGAUER LINCOLN RED SALERS |
| | TE WI | DA. | 0-1 | | 0-1 | | 0 - 1 | 0 - 1 | 0-1 | 0-1 | 0 | 0-1 | 0 - 1 | 0 - 1 | | | 0-1 | 0 - 1 | 0 - 1 | - 1 | 1-1 | 1-1 | 0-1 | 0-1 | | | 1 |
| Doe | TH DA | ¥ ¥ |)3 | 03 | | | | | 95 1 | | 7 | 32. 1 | | | 88 | 2.2 | 88 | | | | 1 1 | | | 7 | | | E 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 |
| nu | ВІВТН | | 10 | ~ | 9 | _ | Ψ. | | - | | 6 | | ω | - 9 | | - | | ∞ | 7 | 9 | 6 | 0 | ω | ∞ | ∞ | | EEH NAJOU H JOU H A SIS |
| Jo | BIRTH DATE | , y , y | -77 | | -77 | | 11 | -77 | -77 | -77 | -77 | -77 | 111 | -11 | 1 | | -77 | -77 | -77 | -77 | - 77 | -77 | -77 | -77 | | | SKVI SOUCH SOUSII SVIE ANG ANG |
| | IRTH | DA. | -18 | EX 1 | 60 | EX 1 | -2I | -23 | 1 | -03 | -04 | -01 | -04 | -10 | EX 1 | X 1 | -21 | -24 | 3 | | -24 | -26. | | -13 | x 2 | | |
| | ٥ | | 1 | \$ | | SE | 3 | | | | 2 | <u>~</u> | <u>س</u> | | SE | | | | 4 | 7 | 7 | | | | S | | 02- 03- 04- 05- 06- 07- 08- E1- E2- |
| | BREE | OF | A3 | FOR | A3 | FOR | AZ | A 2 | A 3 | A 2 | A3 | A3 | A 3 | A 3 | FOR | FOR | A 3 | A3 | A 3 | A3 | A2 | A3 | A 3 | A3 | FOR | | N 0 % S |
| | BREED | OF SIRE | A 3 | RAGE | A3 | RAGE | A3 | A3 | A 3 | | | A 3 | A3 | A3 | RAGE | AGE | A 3 | A3 | A3 | | A3 | A3 | A3 | | RAGE | | AYRSHIRE BYSEY MILKING SHORTHORN HAYS CONVERTER BRAHMAN BRAHMAN BEFFMGUS BEFFMGUS SANTA GERTRUDIS BAAZONA SIMMENTAL |
| | | DAM | 2 | <u>ω</u> > | ~ | > | 7 (| | | | 7(| | | 7 (| AVER | AVERAGE | | | | | | | 2 | | AVER | | AYRSHIRE BARSEY MILKING SHO HAYS CONVEI BRAHMAN BRAHMAN BRAHMAN BRAHMAN SANTA GERTÍ SANTA GERTÍ SIMMENTAL |
| | | | # | ADVA | 0 9, | 046 A | 35 0 | 32 0 | 0 / (| 7 0 | 8 0 | | | 32 0 | | A | | 5 0 | 5 | 6 | 3 | 0 | 8 | 0 0 | 9 | | AYRSHIRE JERSEY MILKING S HAYRS CON BRAHMAN BR |
| | DAM | NOM B ER | 33 | ΑI | 387 | 70 | 2. | 3 | 30 | 3 | 2.2 | (-) | 7 | 23 | 37 | | 305 | 303 | 304 | 379 | 91 | 22 | 304 | 329 | 70 | | B4 - B5 - B6 - B6 - C1 - C2 - C2 - C3 - C4 - C5 |
| | | | Λ(| RE | 9 | IRE | | | 7 | | 1 | | - | ┙ | RE | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | RE | | 0 0 N |
| 10 | SIRE | M M M M M M M M M M M M M M M M M M M | AD | SIR | 970 | SI | 371 | 3, | 37 | 3.7 | 37 | 37 | 37 | 37 | SI | | 70 | 970 | 970 | 0 4 | 70 | 0.4 | | | SI | | ED CODES ANGUS ANGUS ANGUS SHORTHORN SHORTHORN RED ANGUS RED POLL RED POLL RED FOLL RED FOLL RED FOLL GUERNSEY |
| -000 | | ш х | - | | - | - | 7 | _ | 7 | 7 | I | - | - | - | | | 7 | 7 | 7 | 2 | 7 | 7 | 7 | 7 | | | ED CODES ANGUS HEREFORD POLLED HER SHORTHORN POLLED SHO RED POLL HOLSTEIN GUERNSEY |
| 001 | CALF | JOMBER 1 | 724 | | 97 | | 710 | 712 | 713 | | | 73 | | | | | 711 | 716 | 7 | 7 | 727 | | | | | | BREED CODES A1 - ANGUS A2 - HEREFORD A2 - HEREFORD A4 - SHORTHORN A5 - POLLED SHORT A6 - RED POLLE B1 - HOLSTEIN B1 - HOLSTEIN B2 - BROWN SWISS |
| | | | | | | | | | | | | | | | | | - | | | | | | | | | | В В В В В В В В В В В В В В В В В В В |

HERD CODE NO.

HERD CODE NO

ILLINOIS B. P. T. PROGRAM - CALF CROP RECORD

| | 500 | 0 | 0 | | 0 0 | + | 0 0 | | 0 0 | † | | 0 | 0 0 | 0 | 0 | | 0 0 | |
|--------|--|-------------|----------|----------|----------|----------|---------|-----------|-------------|------------------|----------|-------|---------|---------|--------|--------------|------------|---|
| Ad ams | MISCELLANGOUS | œ | 0 | 0 | 0 | - |) C | 0 | 0 | 9 0 | - | 0 | 0 | c | 0 | 0 | 0 | |
| | 2 2 | ٥ | 0 | 0 | 0 | c | 0 0 | 0 | 0 0 | 9 0 | 0 0 | 0 | 0 | C | 0 | 0 | 0 | |
| | SCONE | | 15 | 13 | 14 | 12 | | 2 . | - - - | 14 | 71 | 13.6 | 12.7 | 16.0 | ; ; | 13.4 | 12.9 | |
| ľ | MUS- CLE SCORE | | 7 | 7 | 7 | ~ | ۰, |) ~ | t - | ; t | 7 7 | 3.8 | 3.6 | 5.0 | | | 3.9 | † |
| | WEIG- FRAME HED SCORE | | 7 | ٣ | 7 | , | 1 0 | ٦ , | ٦ ، | - - - - | 1 4 | 3.2 | 2.9 | 5.0 | 2.6 | 3.3 | 3.1 | + |
| | | | 1 | 7 | _ | - | • - | - | ٦, | 1 - | - | • | + | | | | | |
| | N CE | 0 | 3 | | - | | | - | ۰ د | - | | | | | - | | ··· +··· · | |
| | ZOS OAY ADJUSTED WEIGHT | 4 | B | 707 | | A A | • | , | | . i | | | 98 | 121 | } | <i>ب</i> ط , | 100 | |
| | ZOW COMPARISON ZOS OAY ADJ. WT ADJUNTED 15.TEER WEIGHT | 200 | 575 | 520 | 585 | 287 | 387 | 200 | 2 6 | 556 | 534 | 513 | 490 | 603 | 470 | 506 | 867 | * |
| | 203 OAV | 3 E X | 117 | 106 | 119 | 80 | 7 | | 100 | 112 | 100 | 105 | 100 | 50 | 95 | 101 | 100 | ared s at the area Ur- |
| | ZOS DAY ZOS OAY | M 40 10 | 548 | 495 | 557 | 416 | 360 | 707 | 107 | 2000 | 500 | 489 | 467 | 635 | 453 | 505 | 493 | d is prepared of Illinois at mailed to the r, and the area is filed at Urso be sent to ffice. |
| | ACTUAL | | 520 | 465 | 535 | 395 | 330 | 207 | 407 | 57.0 | 525 | 471 | 447 | 575 | 434 | 491 | 7.4 | Crop Record is p University of Ill Copies are mailec sion adviser, and other copy is filec copy will also be ssociation office. |
| | | DAYS | 509 | 208 | 203 | 203 | 218 | 215 | 200 | 231 | 222 | 213 | 211 | 184 | 210 | 212 | 210 | Crop Recor University Copies are sion advises other copy copy will al |
| | E WEIGE | MO. DA. YR. | 10-19-77 | 10-19-77 | 10-19-77 | 10-19-77 | -16- | 11-16-77 | 11-16-77 | 10-19-77 | 10-19-77 | • | | | | | | Calf t the aign. exter r. An d, a c |
| | BIRTH Weight | | 72 | 82 | 88 | 65 | 8 | 7. | , 0 | 100 | 83 | 82 | 83 | 103 | 81 | 85 | 84 | processed C mputer at na-Champai wener, the e ock adviser. If desired, |
| | TH DAT | MO. DA. YR. | 3-24-77 | 3-25-77 | 3-30-77 | 3-30-77 | 4-12-77 | 1, -15-77 | 7-10-1 | 3-02-77 | 3-11-77 | 2 | 2 | ADV | 970 | 371 | | The processed by computer a Urbana-Champ herd owner, the livestock advise bana. If desire your national b |
| | BREED | DAM | A3 | 3 | ¥2 | A2 | A3 | 5 | 1 2 | 64 | A2 | OR SE | FOR SEX | | | | | |
| | BREED | SIRE | ವ | £3 | \$ | A3 | ¥ | ? \$ | 5 5 | A3 | A . | - | AV RAGE | R SIRE | | | FOR HERD | * |
| | AGE OF | | 03 | 03 | 70 | 70 | 6 | 3 6 | 5 6 | 20 | 3 = | AV | AV | E FOR | | | | |
| | DAM | | 87 | 343 | 231 | 245 | 077 | 310 | 7.51 | 34.2 | 612 | 371 | | AVERAGE | | AVERAGE | AVERAGE | |
| | SIRE | | 371 | 371 | 371 | 371 | 371 | 371 | 371 | 371 | 371 | SIRE | 1 | N.I. | | | | 1 |
| | S SI | × | | | | - | | | | | | | - | CALVES | CALVES | CALVES | | |
| | | `- | 2 | _ | | + | | | _ | 1 0 | | | - | - | | | | |
| | CALF | | 714 | 715 | 717 | 718 | 722 | 723 | 725 | 76 | 78 | | | 1 | 9 | 17 | | |

INDIVIDUAL COW PERFORMANCE RECORD/ILLINOIS BEEF PERFORMANCE TESTING PROGRAM

Date at first calving 3-16-75 Age at first calving a 4 months 3-10-23 __ Birth date ___ 4032 _ Herd or tattoo number _ 64 Dam_ 3 queen Name __ Sire

| ZU5-day wt. | 205-day | | | Confor- | | 365-day | | | Confor- |
|-------------|------------|-------|----------|---------|----------|----------|-------|-----------------------|---------|
| adj. for | wt. ratio | Frame | Muscling | mation | 365-day | adj. wt. | Frame | Muscling | mation |
| age of dam | within sex | score | score | score | adj. wt. | ratio | Score | score | score |
| 595 | 901 | 7 | 7 | 1.1 | 265 | 80/ | 7 | L ₃ | 75 |

Calving and Progeny Performance Record

| | | | | | | | | | | | | | | | - | Muscl- | <u> </u> | Confor- | |
|-----------------------|-------------------------|-----------------------------|-----------------|-------------|---------|------------|--------------|---|---------------------|------------------------------|---------------------|------------------------------|--|--------------|--------------|--------------|---------------------------------------|----------------------------------|-----------|
| Breed- ing date | Bull no. | Est. calving date | Preg. check | Calf no. | Sex | Birth | Birth wt. | 205-day wt. ratio within sex | 205-day adj. wt. | 205-day adj. wt. ratio | 365-day adj. wt. | 365-day adj. wt. ratio | Post- weaning ADG | Frame score* | | ۳ <u>۲</u> ۲ | | 흥하는 | I |
| 16-2-7 | 26.03 | 4-6-14 7603 3-15-7510-31-74 | 10-3/-74 | 2 | ٦ | 3-16-25 65 | 57 | 110 | 110 535 109 | 109 | 046 | 801 | 1.50 | 7 | > 2 |) 7 | 3 3 | > ? > ? > ! | - |
| 2-31-25 | RR | 5-31-25 RR 3-8-76 11-5-75 | 51-2-11 | | - | 3-10-76 75 | 25 | 1 - | 007 | 8// | | 115 | 3.30 | \ \ | | اد | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | 5 5 /6 /6 | 10 |
| 72-51-9 | 6-15-26 B J | | 3-24-1711-10-76 | 126 | Ce | 3-24-72 | 20 | 801 | 801 055 801 | 80/ | | 111 | 111 //60 | 7 | 7 | L | 5/5 | 5 | した |
| 62-1-7 | 702 | 6-1-77 702 3-10-2811-3-77 | 11-3-29 | 199 | _ | 3-12-28 | 80 | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | T |
| | | | | | | | | | | | | | | | | - | | - | |
| | | | | | | | | | | | | | | | | - | | - | |
| | | Th | | tion on t | his for | | ii l | The information on this form is filled in by the herd owner from the processed Calf Cron Record | Owner f | rom the | nrocessed | Calf Cro | de | | | | - | - | 1 |
| | | ano | d the Pos | st-Weanir | ng Rec | ord. An | up-to- | and the Post-Weaning Record. An up-to-date record should be kept for each cow in the herd. | rd should | d be kep | t for each | cow in | the her | | | - | | | _ |
| | | | | | | | | | | | | | | | - | - | | - | |
| | | | | | | | | | | | | | | | | | <u> </u> | | 1 |
| | | | | | | | | | | | | | | - | | - | | ļ | |
| ·C · calf,) | ·C · calf, Y · yearling | 8 | | | | | | (OVER) | | | | | Sex code: 1 = bull, 2 = heifer, 3 = steer. | 1 = bu | 11, 2 | - heife | g, 3 | = stee | ي ٦ |

INDIVIDUAL COW PERFORMANCE RECORD (continued)

| Health record | | Date | | | | | | | Suggested Timetable for a Health Program | —within the first 12 hours for Reo and Corona viruses, if indicated, and for white muscle disease in problem areas | — at 2 months for blackleg and malignant edema in problem areas — at 3 to 4 months for brucellosis in heifer calves (optional) — at 3 weeks preweaming for: | Pasteurella (multocida and hemolytica), repeat in 14 to 21 days IBR-PI3, intranasal type | Blackleg, malignant edema, and other clostridal bacterins (overeating disease) if not vaccinated at 2 to 3 months of age Lentosnirosis (3-in-1) optional at this age or yearling heifers | — post-weaning for Vibriosis in replacement heifers and young bulls — post-weaning for BVD (optional) | Other treatment | — treat for lice when needed (post-weaning) — worm (pre- or post-weaning) | |
|--------------------|----------------|-----------------------|---------|-------------|-----|------------------------|-------------------------|-------------|--|--|---|--|--|---|-----------------|---|------|
| | Immunizations, | tests, and treatments | IBR.PI3 | Pasteurella | BVD | Black leg- M. edema | Other clostridal agents | Brucellosis | Lepto | Vibrio | Tuberculosis | Wormed | Pinkeye | External parasites | | | |
| | gui | 3 | | 0 | 0 | | | | | - | | | | | | - | |
| | Post-weaning | 2 | la | ~ | | | | | | | | | | | | | |
| s code | | - | 45 | 40 | 22 | - | | | | | | | | | | | |
| aneou | | ۵ | | 0 | 0 | | | | | | | | | | | | |
| Miscellaneous code | Calf crop | В | _ | ~ | | _ | | | | | | | | | | | |
| | Cal | ٨ | 40 | 42.5 | 7 | | | | | | | | | | | | |
| | | Year | 75 | 26 | 22 | 28 | | | | | | | | | | | |

POST-WEANING RECORD WORK SHEET

Illinois Beef Performance Testing Program

Breed or breed crosses

00

| // | 10-11 | State |
|-------|----------|-----------------------|
| Year | Doewill | City. |
| Month | RR#1 8-9 | Street or Rural Route |

| Year | Doewill | City |
|------|---------|------|
| ۲ | 6-8 | oute |

| ode | 72 | 0 | | | | | | | | | |
|---|--------------------------------|------------------------------|----------|--------|----------|----------|---------|---------|------------|---------|---|
| snooue | 2 70-71 | 0- | | | | | | | | > | |
| Miscella | 1 68-89 | 0 | | | | | | | | -> | |
| Conf. | score 1 2 66-67 68-69 70-71 | 14 | 14 | 15 | 15 | 14 | 7/ | 14 | 7 | 11 | |
| Mus- cling | score 65 | 5 | | 44 15 | 45 15 | 4514 | ٦ | 7 | S | 3 11 | |
| Frame | score 64 | 35 14 | 7 4 | 7 | | 7 | 4 4 14 | h h h | 7 | م | |
| 205-day wt., Mus-adj. for age Frame cling Conf. Miscellaneous codes | of dam 60-63 | 523 | 534 | 507 | 609 | 656 | 546 | 523 | 498 4 3 12 | 383 | |
| wt. + | by 59 | ~ | | - | | | | | | > | |
| Weight | test 55-58 | 0401 | 0101 | 096 | 1501 | 1030 | 824 | 220 | 262 | 636 | |
| Weight | test 51-54 | 76 10 19 76 3 29 77 515 1040 | 515 1010 | 0% 584 | 1501 047 | 550 1030 | 488 834 | 460 770 | 432 762 | 336 636 | |
| test | Yr. 50 | 22 | | | | | | | | | |
| Date off test | Day - | 20 | | | | | CR | | - | | |
| ٥ | Mo. | w. | | | | - | 7 | | | - | |
| est | ¥ * | 26 | | | | | | | | - | |
| Date on test | Day | 61 | | | | | | | | | |
| ۵ | Mo. 39 | 0 | | | | | - | | | - | |
| е | Yr. 38 | 26 | | | | | | | | _ | |
| Birth date | Day | ત | 9 | 0 | 0 | 4 23 | 0 | 11 | 73 | 30 | |
| 8 | Мо. 33 | 3 | ัฑ | m | ~ | 7 | 7 | 4 | 4 | 7 | |
| Breed | dam 29-32 | A3 A3 | | -> | 42 | | | _ | A3 | #3 | |
| Breed | Sire 25-28 | A3 | | | | | | | | - | |
| Age | | ~ | _ | > | 7 | ∾- | - 32 | | -> | ٧, | 1 |
| Sire | | 371 | 1135 | 1135 | 321 | | N | | _> | 240 | |
| Sex | code 17 | | | | | -> | ~ | | | - | |
| Calf | no. 12-16 | 63 | 99 | 63 | 69 | 625 | 819 | 619 | (21 | 630 | |

paign. It provides the information necessary to produce the processed Post-Weaning Record. Most of the information needed to complete this work sheet can be obtained from the Calf Crop Record. This form, when completed, is sent to the UI Livestock Extension Specialists at Urbana-Cham-The "on-test" weight is the actual weight at weaning time that appears on the Calf Crop Record.

Sex code. 1 = bull, 2 = heifer, 3 = steer

*Weighed by: (1) University, (2) Owner, (3) Other

County

1000-

Herd Code

Post-Weaning Record.

Weight per day of age. This figure is obtained by dividing the weight off test by the age off test.

365-day adjusted weight. Regular-age calves (those that were 160 to 250 days old when weighed for their weaning record) must be on test at least 140 days and must be at least 330 days old when weighed off test to have a 365-day adjusted weight calculated. The 365-day adjusted weights for these animals will be calculated the regular way, as follows:

205-day weight, adjusted for age of dam plus (average daily gain on test \times 160)

Irregular calves that are on test at least 140 days and are at least 330 days old when weighed off test will have a 365-day adjusted weight calculated as follows:

(weight per day of age \times 365)

plus
adjustment, if any, for age of dam

Yearling weights calculated this way for irregular calves will be marked with an asterisk. A 365-day adjusted weight will not be calculated for animals failing to meet the minimum of 140 days on test or the minimum age of 330 days off test.

365-day adjusted weight ratio within sex. This figure is obtained by dividing each individual's 365-day adjusted weight by the average of its own sex group and expressing the result as a percentage. This means that the 365-day adjusted weight for each bull is compared with the average 365-day adjusted weight of all bulls on test at the same time in a given herd; the same procedure is followed for heifers and steers.

To help you with your sire evaluation, sire averages within each sex group are recorded on the processed Post-Weaning Record. Sire summaries and sex group summaries will include only those animals having 365-day adjusted weights.

HOW TO MAKE GOOD USE OF YOUR RECORDS

Build up a history of production on each cow in the herd. You may know which cow is the best one in your herd and which is the poorest one. But do you know what cows are in the top half and in the bottom half? Use your BPT records to cull your herd and select herd replacements. Culling even first-calf heifers on the basis of that one calf is an economically sound practice. Make a list of potential herd replacements from the calves with the heaviest weaning weights and the highest evaluation scores.

Pick calves for replacements that gain the fastest

after weaning and have the heaviest weight at one year, but check the frame to make sure it is adequate for continued growth.

Look over the weaning weights, evaluation scores, post-weaning gains, and carcass quality of the calves sired by different bulls (if you use more than one).

Be prepared to supply performance records. You will find that more and more producers want cattle with such records. Good records make cattle more valuable to some people.

Guidelines for selecting a herd sire. One of the most important management decisions a herd owner makes is the selection of a herd sire. Careful thought and planning are required. Many herd owners still fail to realize the value of a good bull.

Select a bull that will be an asset to the herd, one that will contribute to herd improvement. Before starting out to buy a new herd sire, take some time to evaluate your cow herd and current calf crop. Where do they need improvement the most? Is it in muscling, soundness, size, gaining ability, ruggedness, or some other trait?

Next, decide what herds you plan to visit or which sales you want to attend. Buy from reputable breeders who are known to be doing a good job of production and who will supply a breeder's guarantee with the animals they sell. Patronize those who are cattle breeders in the truest sense, ones who are making real progress in improving the quality and performance of their own cattle.

Take your time in making a selection. Start out well before the time you will need a bull. The earlier you start, the greater the number of bulls from which you can make your selection. Be sure that the bull you choose has these characteristics and background:

- Large framed, with plenty of size for his age.
- Structurally correct, including the feet and the legs.
- Performance tested, with a good 205-day weight (adjusted for age of dam) and a good 365-day adjusted weight.
- Well muscled.
- From a cow that consistently ranks in the top half of the herd in terms of production.
- From a sire that has been doing a good job of settling cows and of siring large-framed, fast-gaining calves.
- Normal in testicular development both testicles are present and they are fully descended, sound, and approximately equal in size.
- Free of reproductive diseases, as determined by blood tests and verified by health papers.

| (| 2 |) |
|---|---|---|
| l | 1 | j |
| (| | ١ |
| (| |) |
| (| |) |
| (| _ | ۵ |
| (| 7 | _ |
| į | 1 | j |
| | Ι | _ |
| | | |

ILLINOIS B. P. T. PROGRAM POST-WEANING RECORD

COUNTY

| | MISCELLANEOUS | 2 3 | \vdash | | 0 | | 0 | 0 | 0.0 0.0 | |)) | | 0 0 | | 0 | 으 | 0 | _ | 0.0 0.0 | | 0.0 0.0 | | | | 0 | 0.0 | _ | T | | | | | |
|-----------|---------------------------------------|-----------------|----------|----------|--------------|----------|----------|----------|-----------------|-----|-------------|---------|----------|-----------|----------|-----------------|----------|----------|----------|----------|-----------|----------|-------------|----------|----------|-----------|-----------|---|--|----------------------|---------------------------------|----------------------------|---|
| SI | | - | 0 | | 0.0 | | 0 | | 0.0 | | 0.0 | | 0 | 0.0 | | 0.00 | 0 | | 0.0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 5. | 0.0 | | | | | | |
| Adams | MIJSCLE CONFOR | SCORE SCORE | 4 14 | 4 15 | 4.0 14.0 | 5 14 | - | 5 15 | 5.0 14.3 | | 4.0 14.4 | | 5 16 | _ | 3 12 | 3.0 12. | 4 13 | | 4.0 13.0 | | 0 | | 7 14 | _ | - | 3.8 13. | 13 | | | | | | |
| | | SCORE | 1 4 | 1 4 | 0 | 1 4 | 1 3 | 1 4 | 3.7 | • | ກ ກ | | 1 5 | | 1 5 | | 1 3 | | 3.0 | | | 1 4 | 1 4 | 1 4 | | 4.0 | | | _ | | | | |
| | 365, DAY ADJUSTED WEIGHT | | 86 | * | 98 | 108 | 198 | 100 | 103 | 44. | 3 | | 118 | 118 | 86 | 86 | 96 | 35 | 46 | 78 | 84 | 110 | 1 25 | 102 | 8 | 103 | 100 | | | | | | |
| | 365 DAY ADJUSTED | WEIGHT | 1025 | 979 | 1002 | 1133 | 1049 | 1051 | 1078 | | 1047 | | 668 | 668 | 746 | 746 | 730 | 703 | 717 | 639 | 639 | 836 | 789 | 780 | 735 | 785 | 762 | | | | | | |
| | 205 DAY WEIGHT | FOR AGE | 534 | 202 | 521 | 959 | 527 | 609 | 597 | | 790 | ***** | 601 | 601 | 887 | 887 | 877 | 452 | 450 | 383 | 383 | 979 | 523 | 498 | 497 | 516 | 493 | | at | are | ea | ed, | ce. |
| | | DAY OF A | 2.60 | 2.48 | 2.54 | 3.03 | 2.65 | 2.80 | 2.83 | i | 7.7 | | 2,28 | 2.28 | 2.02 | 2.02 | 1.83 | 1.76 | 1.80 | 1.77 | 1.77 | 2.17 | 5.04 | 2.03 | 1.88 | 2.03 | 1.98 | | -Weaning Record is prepared by computer at | Copies 2 | extension adviser, and the area | at Urbana. If desired, | on offi |
| 66643 | AVERAGE DAILY | GAIN ON TEST | 3.07 | 2,95 | 3.01 | 2.98 | 3,26 | 2.76 | 3.00 | | 3.00 | | 1.86 | 1.86 | 1,61 | 1,61 | 1.76 | 1.57 | 1.67 | 1.60 | 1,60 | 1.81 | 1.66 | 1.76 | 1.49 | 1,68 | 1.68 | | by cor | | r, and | ana. If | sociati |
| le, IL | AGE | TEST | 388 | 387 | | 340 | 392 | | | - | 3/9 | | 382 | 382 | 394 | 394 | 411 | 418 | 415 | 359 | 359 | 380 | 378 | 376 | 413 | 387 | 390 | | pared | at Urbana-Champaign. | advise | t Urb | eed as |
| Doeville, | WEIGHT | TEST | 1010 | 096 | 985 | 1030 | 1040 | 1085 | 1052 | | 1025 | | 872 | 872 | 194 | 794 | 754 | 734 | 744 | 989 | 636 | 824 | 770 | 762 | 778 | 784 | 169 | | d is pre | ana-Ch | nsion | filed a | onal br |
| | WEIGHT | TEST | 541 | 485 | 500 | 550 | 515 | 940 | 568 | | 541 | | 525 | 525 | 492 | 492 | 425 | 440 | 433 | 336 | 336 | 485 | 7460 | 432 | 300 | 697 | 455 | | Recor | : Urb | e exte | copy is filed | ır natio |
| | T DAYS | | 161 | 161 | 161 | 161 | 161 | 161 | 161 | - | 161 | | 187 | 187 | 187 | 187 | 187 | 187 | 187 | 187 | 187 | 187 | 187 | 187 | 187 | 187 | 187 | | aning | ois at | er, the | ner co | to you |
| | DATE OFF TEST | MO DAY YEAR | 3-29-77 | 3-29-77 | | 3-29-77 | 3-29-77 | 3-29-77 | | | | | 4-24-77 | | 4-24-77 | | 4-24-77 | 4-24-77 | | 4-24-77 | | 4-24-77 | 4-24-77 | 4-24-77 | 4-24-77 | | | | + | y of Illinois | herd owner, | livestock adviser. Another | a copy will also be sent to your national breed association office. |
| Doe | AGE | TEST | 227 | | | 179 | 231 | 226 | | | 218 | | 195 | | | | 224 | | 228 | 172 | 172 | 193 | 161 | 189 | 226 | 200 | 203 | | cessed | versit | o the | advi | ill als |
| John Doe | DATE ON TEST | MO DAY YR | 10-19-76 | 10-19-76 | 1 | 10-19-76 | 10-19-76 | 10-19-76 | | | | | 10-19-77 | | 10-19-76 | | 10-19-76 | 10-19-76 | | 10-19-76 | | 10-19-76 | 10-19-76 | 10-19-76 | 10-19-76 | | | | The processed Post | the University of | _ mailed to the herd | livestock | a copy w |
| | BIRTH DATE | MO DAY YR | 3-06-76 | 3-07-76 | POR SEX 1 | 4-23-76 | 3-02-76 | 3-07-76 | SEX 1 | | SEX 1 | | 4-07-76 | FOR SEX 2 | 3-26-76 | SEX 2 | 3-09-76 | 3-02-76 | | 4-30-76 | FOR SEX 2 | 92-60-7 | 4-11-76 | 4-13-76 | 3-07-76 | FOR SEX 2 | FOR SEX 2 | | | | | | |
| | BRFFD | OF | A3 | | OA | | A3 | A 2 | AGE FOR | | AVERAGE FOR | | 43 | ta: | | AGE FOR | A3 | £3. | AVERAGE | A3 | H | A2 | A2 | A3 | A.2 | AVERAGE I | | | | | | | |
| | BREED | SIRE | A3 | A3 | 1V35 AVERAGE | A3 | A3 | , e | 371 AVERAGE FOR | | AVERA | | A3 | A DU A | A3 | CBR AVERAGE FOR | 5 | 3 | 35 | A3 | 2 | S. | £ | A3 | A3 | | | | | | | | |
| | SIRE | NUMBER | 135 | 1035 | • | | 371 | 371 | ΙIJ | | | • • • • | ADV | SIRE | CBR | 1.1 | 1 | 1735 | SIRE | 946 | SIRE | 371 | 371 | 371 | 371 | SIRE | | | ******* | | | | |
| 21 | , , , , , , , , , , , , , , , , , , , | | + | - | | | - | - | | | | | 0 | | 2 | | - | 7 | | 2 | | | 7 | 2 | 2 | | | | | | | | |
| 001-0001 | CALF | NUMBER | 99 | 29 | <u>.</u> | 625 | 63 | 50 | 3 | | | | 617 | | 614 | | 610 | 62 | | 630 | | 618 | 619 | 621 | 89 | | | | | | | | |

| | | | | 0 | | | | TWO LOWEST % |
|-------------|------------------|--------------------|--------------------|----------------------|----------------------|-------------------|--------------------|--------------------------------|
| | F8-NORWEGIAN RED | H1-WELSH BLACK | H2-GALLOWAY | H3-SCOTTISH HIGHLAND | H4-BEEFALO | K1-MURRAY GREY | K2-TASMAINIAN GREY | XX-UNKNOWN OR THE TWO LOWEST % |
| | E6-PIEDMONT | F1-DEVON | F2-SOUTH DEVON | F3-TARENTAISE | F4-PINZGAUER | F5-LINCOLN RED | F6-SALERS | |
| | D6-GELBVIEH | D7-MRI | DB-NORMANDE | E1-CHAROLAIS | E2-CHIANINA | E3-ROMANGNOLA | E4-MARCHIGIANA | E5-BLONDE d'ACQUITAINE |
| | C3-BEEFMASTER | C4-SANTA GERTRUDIS | C5-BARZONA | D1-SIMMENTAL | D2-FLECKVIEH | D3-PIE ROUGE | D4-LIMOUSIN | D5-MAINE ANJOU |
| | B2-BROWN SWISS | B3-GUE RNSEY | B4-AY RSHIRE | B5-JERSEY | B6-MILKING SHORTHORN | B7-HAYS CONVERTER | C1-BRAHMAN | C2-BRANGUS |
| BREED CODES | A1-ANGUS | A2-HEREFORD | A3-POLLED HEREFORD | A4-SHORTHORN | A5-POLLED SHORTHORN | A6-RED ANGUS | A7-RED POLL | B1-HOLSTEIN |
| | | | | | | | | |

BREEDS IN A 3 BREED CROSS ANIMAL

SIRE EVALUATION RECORD/ILLINOIS BEEF PERFORMANCE TESTING PROGRAM

| 1 | 1 | | |
|--------------------|----------|---------------------------------------|-----------------------|
| 73 | ~ | Confor- mation score | 2/ |
| 2-27-23 | 9 22 | Muscling | Ŋ |
| Birth date | grend | Frame | 7 |
| Birt | en | WDA off test | 3.20 |
| 6 | green | 365-day adj. wt. ratio | 112 |
| 30495 | flio | 365-day adj. wt. | 0611 |
| 00 по. | Dam | ADG on test | 3.50 1170 |
| Herd or tattoo no. | | Days on test | 140 |
| منعه | | Confor- mation score | 15 |
| ngrasino | ngressio | Muscling | V ₂ |
| σ) | ran | Frame | 4 |
| linois | 7 | 205-day wt. ratio within sex | 115 |
| Name | Sire | 205-day wt. adj, for age of dam | 0/9 |
| | | | |

Performance of Progeny

Remarks


| 4.5 /4.2 4 1 3,00 1,070 104 3,7 5 14.5 4.5 /4.2 /4.2 /4.5 /4.5 /4.5 /4.5 /4.5 4,6 /4,0 7 1 3,00 1,060 103 3,4 4,8 /4,4 4,6 /4,0 7 1 3,00 1060 103 3,4 4,8 /4,4 6 3 1,55 715 103 3,5 4,8 /4,2 6 3 3,60 9/5 705 3,6 4,8 /4,5 | score lings Sex on test weight wt. ratio score score 14.2 1 3,00 1,070 104 3,7 5 14.0 7 1 3,00 1060 103 3,4 4,8 14.0 7 1 3,00 1060 103 3,6 4,8 6 3 1,55 715 103 3,5 4,8 6 3 3,60 715 105 3,6 4,8 6 3 3,60 715 105 3,6 4,8 |
|--|---|
| 4.5 14.2 4 1 3,00 1,070 104 3,7 5 4.6 14.0 7 1 3,00 1,060 103 3.4 4.5 6 2 1.55 715 103 3.5 4.9 6 3 3,60 715 105 3.6 4.8 | 3,7 3,4 4,5 3,6 4,9 3,5 4,7 3,6 4,8 4,9 |
| 14.0 7.165 725 103 3.4 4.5 14.0 7 1 3,00 1060 103 3.6 4.8 6 2 1.55 715 103 3.5 4.9 6 3 3,60 715 105 3.6 4.8 | 3.4 4.5 3.6 4.8 3.5 4.7 3.6 4.8 |
| 14.0 7 1 3.00 1060 103 3.6 4.8 6 2 1.55 715 103 3.5 4.7 6 3 2.60 715 105 3.6 4.8 | 3.6 4.8 3.6 4.8 3.6 4.9 |
| 1.55 715 103 3.5 4.7 2,60 715 105 3.6 4.8 | 3.5 4.2 |
| 915 105 3.6 4.8 | 3.6 4.8 |
| | is form is filled in hy the hard owner from the processed Calf Cron Becord |
| | is form is filled in hy the hard owner from the processed Calf Cron Record |


CARCASS QUALITY WORK SHEET

Illinois Beef Performance Testing Program

| Herd code number 001-0001 | Name | Jo | hn Doe | |
|---|----------|-------------------|----------------------------------|-------------------|
| Herd code number 001-0001 RR #1 Street or Rural Route | Doevillo | , L _{S1} | hn Doe Clinois | 66643 Zip Cod |
| 1. Animal number | X35 | X 40 | | |
| 2. Slaughter tag number | 5 | 10 | | |
| 3. Slaughter weight | 1050 | 1170 | | |
| 4. Hot carcass weight | 656 | 725 | | |
| 5. Dressing percentage | 62.5 | 62.0 | | |
| 6. Fat thickness (in.) | 0.9 | 0.3 | | |
| 7. Fat thickness per 100 lb. of carcass (in.) | ,137 | .041 | | |
| 8. Rib-eye area (sq. in.) | 11.0 | /5.3 | | |
| 9. Rib-eye area per 100 lb. of carcass (sq. in.) | 1,68 | 2.11 | | |
| 10. Conformation | P- | C+ | | |
| 11. Maturity | A | A | | |
| 12. Marbling | modeste | Small | | |
| 13. Quality grade | CT | C | | |
| 14. Kidney, heart, pelvic fat (%) | 4.0 | 2.5 | | |
| 15. Estimated yield grade | 4.5 | 1.7 | | |
| 16. Slaughter date | 7-3-72 | 7-3-19 | | |
| 17. Birth date | 4-1-76 | 5-10-76 | | |
| 18. Age at slaughter (days) | 459 | 420 | This is the form want to combine | |
| 19. Lb. carcass per day of age | 1.43 | 1.73 | records and office | ial carcass eval- |
| 20. 205-day adj. weight | 520 | 601 | mals, as well as calculations. | |
| 21. 365-day adj. weight | 930 | 1040 | | |
| 22. Sire number | 2 | 4 | | |
| 23. Dam number | R15 | R 40 | | |







UNIVERSITY OF ILLINOIS-URBANA Q.630.7IL6C C005 CIRCULAR URBANA, ILL. 1159 1978

3 0112 019533832